



CIFEX 2004

W2004-04-05-23-55-27 - PPMAG4, IRIG:1/0/2  
 UTC: 23:55:27.43 to 00:05:43.49, Dur: 616s  
 TimeLngth: 616.06s, TimeInt: 28ms (35.5pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 328 to 22169, NumProf(r/t): 21841/21841  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9


|           | Min    | Max    | Mean   | Std    | Var% |
|-----------|--------|--------|--------|--------|------|
| hhN(dB)   | -65.79 | -64.11 | -64.92 | -77.65 | 5.3  |
| vvN(dB)   | -65.87 | -64.15 | -65.02 | -77.82 | 5.2  |
| hhL(dB)   | -8.83  | 3.56   | -2.18  | -3.24  | 78.4 |
| vvL(dB)   | -0.04  | 6.00   | 5.99   | -10.43 | 2.3  |
| ppN(m/s)  | -12.61 | 12.78  | -0.07  | 4.14   |      |
| ppT(m/s)  | -99.58 | 100.98 | -0.58  | 32.67  |      |
| hh/vv(dB) | NaN    | 62.02  | NaN    | 49.41  | -300 |
| vh/hh(dB) | NaN    | -28.49 | -34.11 | -35.65 | 70.2 |
| hv/vv(dB) | NaN    | -33.45 | -54.72 | -45.92 | 759. |
| hnjmp(dB) |        |        | -0.14  |        |      |
| vnjmp(dB) |        |        | -0.13  |        |      |



CIFEX 2004

W2004-04-05-23-55-27 - PPMAG4, IRIG:1/0/2  
 UTC: 23:55:27.43 to 00:05:43.49, Dur: 616s  
 TimeLngth: 616.06s, TimeInt: 28ms (35.5pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 328 to 22169, NumProf(r/t): 21841/21841  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9

|           | Min    | Max    | Mean   | Std    | Varc% |
|-----------|--------|--------|--------|--------|-------|
| hhN(dB)   | -65.79 | -64.11 | -64.92 | -77.65 | 5.3   |
| vvN(dB)   | -65.87 | -64.15 | -65.02 | -77.82 | 5.2   |
| hhL(dB)   | -8.83  | 3.56   | -2.18  | -3.24  | 78.4  |
| vvL(dB)   | -0.04  | 6.00   | 5.99   | -10.43 | 2.3   |
| ppN(m/s)  | -12.61 | 12.78  | -0.07  | 4.14   |       |
| ppT(m/s)  | -99.58 | 100.98 | -0.58  | 32.67  |       |
| hh/vv(dB) | NaN    | 62.02  | NaN    | 49.41  | -300  |
| vh/hh(dB) | NaN    | -28.49 | -34.11 | -35.65 | 70.2  |
| hv/vv(dB) | NaN    | -33.45 | -54.72 | -45.92 | 759.  |
| hnjmp(dB) |        |        | -0.14  |        |       |
| vnjmp(dB) |        |        | -0.13  |        |       |



CIFEX 2004

W2004-04-05-23-55-27 - PPMAG4, IRIG:1/0/2  
 UTC: 23:55:27.43 to 00:05:43.49, Dur: 616s  
 TimeLngth: 616.06s, TimeInt: 28ms (35.5pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 328 to 22169, NumProf(r/t): 21841/21841  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9

|             | Min    | Max    | Mean   | Std    | Varc% |
|-------------|--------|--------|--------|--------|-------|
| hhN (dB)    | -65.79 | -64.11 | -64.92 | -77.65 | 5.3   |
| vvN (dB)    | -65.87 | -64.15 | -65.02 | -77.82 | 5.2   |
| hhL (dB)    | -8.83  | 3.56   | -2.18  | -3.24  | 78.4  |
| vvL (dB)    | -0.04  | 6.00   | 5.99   | -10.43 | 2.3   |
| ppN (m/s)   | -12.61 | 12.78  | -0.07  | 4.14   |       |
| ppT (m/s)   | -99.58 | 100.98 | -0.58  | 32.67  |       |
| hh/vv (dB)  | NaN    | 62.02  | NaN    | 49.41  | -300  |
| vh/hh (dB)  | NaN    | -28.49 | -34.11 | -35.65 | 70.2  |
| hv/vv (dB)  | NaN    | -33.45 | -54.72 | -45.92 | 759.  |
| hn_jmp (dB) |        |        | -0.14  |        |       |
| vn_jmp (dB) |        |        | -0.13  |        |       |