



CIFEX 2004

W2004-04-21-15-52-31 - PPMAG4, IRIG:1/0/2  
 UTC: 15:52:31.65 to 16:01:04.81, Dur: 513s  
 TimeLngth: 513.18s, TimeInt: 28ms (35.4pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 283 to 18476, NumProf(r/t): 18193/18193  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9

|           | Min    | Max    | Mean   | Std    | Varc% |
|-----------|--------|--------|--------|--------|-------|
| hhN(dB)   | -66.60 | -64.80 | -65.61 | -78.46 | 5.2   |
| vvN(dB)   | -66.47 | -64.63 | -65.61 | -78.31 | 5.4   |
| hhL(dB)   | -9.15  | 3.38   | 0.36   | -2.04  | 57.4  |
| vvL(dB)   | 4.86   | 6.00   | 6.00   | -16.44 | 0.6   |
| ppN(m/s)  | -12.53 | 12.31  | 0.02   | 4.14   |       |
| ppT(m/s)  | -99.01 | 97.21  | 0.16   | 32.72  |       |
| hh/vv(dB) | NaN    | 65.01  | 19.87  | 42.24  | 1725  |
| vh/hh(dB) | NaN    | -27.57 | -33.31 | -35.07 | 66.7  |
| hv/vv(dB) | NaN    | -33.52 | -53.10 | -45.08 | 633.  |
| hnjmp(dB) |        |        | 0.16   |        |       |
| vnjmp(dB) |        |        | 0.15   |        |       |




UTC

CIFEX 2004

W2004-04-21-15-52-31 - PPMAG4, IRIG:1/0/2  
 UTC: 15:52:31.65 to 16:01:04.81, Dur: 513s  
 TimeLngth: 513.18s, TimeInt: 28ms (35.4pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 283 to 18476, NumProf(r/t): 18193/18193  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9

|           | Min    | Max    | Mean   | Std    | Varc% |
|-----------|--------|--------|--------|--------|-------|
| hhN(dB)   | -66.60 | -64.80 | -65.61 | -78.46 | 5.2   |
| vvN(dB)   | -66.47 | -64.63 | -65.61 | -78.31 | 5.4   |
| hhL(dB)   | -9.15  | 3.38   | 0.36   | -2.04  | 57.4  |
| vvL(dB)   | 4.86   | 6.00   | 6.00   | -16.44 | 0.6   |
| ppN(m/s)  | -12.53 | 12.31  | 0.02   | 4.14   |       |
| ppT(m/s)  | -99.01 | 97.21  | 0.16   | 32.72  |       |
| hh/vv(dB) | NaN    | 65.01  | 19.87  | 42.24  | 1725  |
| vh/hh(dB) | NaN    | -27.57 | -33.31 | -35.07 | 66.7  |
| hv/vv(dB) | NaN    | -33.52 | -53.10 | -45.08 | 633.  |
| hnjmp(dB) |        |        | 0.16   |        |       |
| vnjmp(dB) |        |        | 0.15   |        |       |



UTC

CIFEX 2004

W2004-04-21-15-52-31 - PPMAG4, IRIG:1/0/2  
 UTC: 15:52:31.65 to 16:01:04.81, Dur: 513s  
 TimeLngth: 513.18s, TimeInt: 28ms (35.4pps)  
 TimeCor=-13.0s, PPS(min,max,med): 35,36,35  
 Timeint/DSPdiff(mn,min,mx):28,28,28/28,28,28  
 Prof: 283 to 18476, NumProf(r/t): 18193/18193  
 ADacqtime: 25ms; DRate: 198.5kB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFFilt: 5.0MHz; ppPol: HH HV VV  
 TxPol: HHVV, PRF: 20 10 20 10 kHz, NoiseFlg:0,0  
 Range: Delay 75m, Spacing 15m, Gates 100  
 Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 5.9

|           | Min    | Max    | Mean   | Std    | Varc% |
|-----------|--------|--------|--------|--------|-------|
| hhN(dB)   | -66.60 | -64.80 | -65.61 | -78.46 | 5.2   |
| vvN(dB)   | -66.47 | -64.63 | -65.61 | -78.31 | 5.4   |
| hhL(dB)   | -9.15  | 3.38   | 0.36   | -2.04  | 57.4  |
| vvL(dB)   | 4.86   | 6.00   | 6.00   | -16.44 | 0.6   |
| ppN(m/s)  | -12.53 | 12.31  | 0.02   | 4.14   |       |
| ppT(m/s)  | -99.01 | 97.21  | 0.16   | 32.72  |       |
| hh/vv(dB) | NaN    | 65.01  | 19.87  | 42.24  | 1725  |
| vh/hh(dB) | NaN    | -27.57 | -33.31 | -35.07 | 66.7  |
| hv/vv(dB) | NaN    | -33.52 | -53.10 | -45.08 | 633.  |
| hnjmp(dB) |        |        | 0.16   |        |       |
| vnjmp(dB) |        |        | 0.15   |        |       |