



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 55.0,50.0)

W2002-07-18-16-57-03 - PPMAG4						
IRIG:1,UTC: 16:57:01.57 to 16:58:38.57, Dur: 97s	hhN (dB)	Min	Max	Mean	Std	Varc%
TimeLngth: 97.00s, TimeInt: 24ms (41.6pps)	vvN (dB)	-65.35	-61.76	-63.37	-72.52	12.2
TimeCor=-13.0s, DSPDif(mn,min,mx):25,17,405	hhL (dB)	-68.46	-64.43	-66.63	-75.74	12.3
PPS(min,max,std): 28,45,4.56	vvL (dB)	-9.19	-0.20	-4.17	-9.76	27.6
Prof: 359 to 4391, NumProf(t/r): 4032/4032	ppN (m/s)	-14.97	-6.26	-11.96	-15.92	40.2
MxACQtime: 14ms; DRate: 346.4KB/s; Flags: 0, 0, 0	ppT (m/s)	-11.33	11.28	-0.06	4.05	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv (dB)	-10.36	0.14	-2.85	4.05	
TxPol: HHVV, PRF: 15 15 15 15 kHz	vh/hh (dB)	-NaN	88.78	44.40	68.19	2394
Range: Delay 75m, Spacing 30m, Gates 150	hv/vv (dB)	-NaN	-30.53	-83.05	-39.36	2336
Ave. Pulses: 56, Rng/Prof Aspect@90m/s: 13.9	hn/vv (dB)	-NaN	-32.69	-47.47	-41.66	381.
	hn/jmp (dB)	-2.39	2.48	0.23	-7.43	17.1
	vn/jmp (dB)	-2.48	3.00	0.23	-7.39	17.3