



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

W2002-07-18-17-01-48 - PPMAG4	Min	Max	Mean	Std	Varc%	
IRIG:1,UTC: 17:01:46.51 to 17:05:18.04, Dur: 212s	hhN(dB)	-65.21	-61.93	-63.46	-73.45	10.0
TimeLngth: 211.53s, TimeInt: 29ms (34.0pps)	vvN(dB)	-68.36	-64.99	-66.60	-76.62	10.0
TimeCor=-13.0s, DSPDif(mn,min,mx):29,28,368	hhL(dB)	-12.74	-0.79	-5.24	-8.68	45.2
PPS(min,max,std): 16,36,2.57	vvL(dB)	-14.17	-5.19	-7.88	-15.00	19.4
Prof: 367 to 7554, NumProf(t/r): 7187/7187	ppN(m/s)	-11.83	12.21	-0.05	4.17	
MxACQtime: 33ms; DRate: 190.2KB/s; Flags: 0, 0, 0	ppT(m/s)	-93.45	96.43	-0.38	32.95	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-NaN	52.58	20.26	35.14	3076
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh(dB)	-99.00	-99.00	-99.00	-99.00	-99.0
Range: Delay 75m, Spacing 30m, Gates 100	hv/vv(dB)	-NaN	-32.95	-46.82	-43.33	223.0
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.3	hnjmp(dB)	-1.90	2.41	0.20	-8.32	14.1
	vnjmp(dB)	-1.97	2.45	0.19	-8.39	13.9