



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 55.0,50.0)

W2002-07-18-17-21-54 - PPMAG4	Min	Max	Mean	Std	Varc%	
IRIG:1,UTC: 17:21:52.56 to 17:23:26.18, Dur: 94s	hhN(dB)	-64.96	-61.42	-63.10	-72.22	12.2
TimeLngth: 93.62s, TimeInt: 24ms (41,1pps)	vvN(dB)	-68.32	-64.41	-66.45	-75.48	12.5
TimeCor=-13.0s, DSPDif(mn,min,mx):24,17,340	hhL(dB)	-6.77	-0.01	-3.02	-9.61	21.9
PPS(min,max,std): 32,45,4.30	vvL(dB)	-9.54	-5.67	-7.07	-15.46	14.5
Prof: 293 to 4140, NumProf(t/r): 3847/3847	ppN(m/s)	-11.37	10.99	0.06	4.02	
MxACQtime: 14ms; DRate: 342.4KB/s; Flags: 0, 0, 0	ppT(m/s)	-7.18	0.21	-1.61	2.33	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-NaN	78.25	36.80	60.50	2343
TxPol: HHVV, PRF: 15 15 15 15 kHz	vh/hh(dB)	-NaN	-30.06	-53.51	-39.56	2484
Range: Delay 75m, Spacing 30m, Gates 150	hv/vv(dB)	-NaN	-31.50	-48.50	-41.97	450.
Ave. Pulses: 56, Rng/Prof Aspect@90m/s: 13.7	hn/jmp(dB)	-2.39	2.51	0.24	-7.46	17.0
	vn/jmp(dB)	-2.14	2.80	0.22	-7.35	17.5