



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-18-17-24-12 - PPMAG4	Min	Max	Mean	Std	Varc%	
IRIG:1,UTC: 17:24:10.56 to 17:25:46.01, Dur: 96s	hhN(dB)	-70.29	-66.53	-68.17	-77.15	12.6
TimeLngth: 95.44s, TimeInt: 28ms (35.7pps)	vvN(dB)	-72.26	-68.63	-70.35	-79.24	12.9
TimeCor=-13.0s, DSPDif(mn,min,mx):28,25,340	hhL(dB)	-2.90	3.03	0.44	-6.99	18.1
PPS(min,max,std): 23,38,3.65	vvL(dB)	-21.44	-7.93	-15.67	-18.36	53.8
Prof: 319 to 3728, NumProf(t/r): 3409/3409	ppN(m/s)	-7.04	7.07	0.00	2.59	
MxACQtime: 22ms; DRate: 297.6KB/s; Flags: 0, 0, 0	ppT(m/s)	-7.89	7.89	1.43	3.21	
Pulse: 575ns, IFfilt: 2.0MHz; ppPol: HH HV VV	hh/vv(dB)	-NaN	94.76	55.82	75.25	8763
TxPol: HHVV, PRF: 10 10 10 10 kHz	vh/hh(dB)	-NaN	-33.71	-44.29	-41.43	193.
Range: Delay 105m, Spacing 45m, Gates 150	hv/vv(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 56, Rng/Prof Aspect@90m/s: 17.9	hnjmp(dB)	-2.39	2.58	0.20	-7.34	17.6
	vnjmp(dB)	-2.09	2.40	0.24	-7.35	17.4