



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 50.0,55.0)

W2002-07-19-17-13-52 - PPMAG4						
IRIG:1,UTC: 17:13:49.57 to 17:15:02.04, Dur: 73s	hhN(dB)	Min	Max	Mean	Std	Varc%
TimeLngth: 72.48s, TimeInt: 37ms (26.6pps)	vvN(dB)	-69.82	-66.86	-68.10	-78.05	10.1
TimeCor=-13.0s, DSPDif(mn,min,mx):37,36,170	hhL(dB)	-71.75	-68.72	-70.25	-79.99	10.6
PPS(min,max,std): 23,28,1.41	vvL(dB)	-13.84	-2.26	-8.38	-12.55	38.3
Prof: 182 to 2112, NumProf(t/r): 1930/1930	ppN(m/s)	-21.15	-7.90	-10.91	-16.80	25.7
MxACQtime: 33ms; DRate: 149.1KB/s; Flags: 0, 0, 0	ppT(m/s)	-7.11	7.22	-0.09	2.60	
Pulse: 575ns, IFfilt: 2.0MHz; ppPol: HH HV VV	hh/vv(dB)	-7.72	7.47	-0.98	1.99	
TxPol: HHVV, PRF: 10 10 10 10 kHz	vh/vh(dB)	-NaN	35.71	8.01	25.16	5190
Range: Delay 105m, Spacing 45m, Gates 100	hv/hv(dB)	-99.00	-99.00	-99.00	-99.00	-99.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 13.3	hn/jmp(dB)	-99.00	-99.00	-99.00	-99.00	-99.
	vn/jmp(dB)	-2.03	1.84	-0.09	-8.61	14.1
		-2.20	1.60	-0.14	-8.59	14.3