



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

	Min	Max	Mean	Std	Varc%	
W2002-07-19-17-26-11 - PPMAG4						
IRIG:1,UTC: 17:26:07.95 to 17:30:24.07, Dur: 257s	hhN (dB)	-65.18	-61.71	-63.16	-73.18	9.9
TimeLngth: 256.13s, TimeInt: 29ms (34.1pps)	vvN (dB)	-68.17	-64.65	-66.24	-76.29	9.9
TimeCor=-13.0s, DSPDif(mn,min,mx):29,28,333	hhL (dB)	-11.51	0.06	-2.45	-8.30	26.0
PPS(min,max,std): 25,36,2.13	vvL (dB)	-16.13	-7.18	-11.15	-17.48	23.3
Prof: 8457 to 17198, NumProf(t/r): 8741/8741	ppN (m/s)	-12.26	12.66	-0.03	4.18	
MxACQtime: 33ms; DRate: 191.0KB/s; Flags: 0, 0, 0	ppT (m/s)	-96.81	99.98	-0.25	33.05	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv (dB)	-NaN	22.98	-NaN	27.50	-374
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh (dB)	-99.00	-99.00	-99.00	-99.00	-99.
Range: Delay 75m, Spacing 30m, Gates 100	hv/vv (dB)	-NaN	-31.89	-46.17	-44.00	164.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.4	hn_jmp (dB)	-1.92	2.52	0.20	-8.36	13.9
	vn_jmp (dB)	-2.24	1.98	0.17	-8.45	13.7