



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

W2002-07-25-20-37-25 - PPMAG4						
IRIG:1,UTC: 20:37:18.04 to 20:38:46.95, Dur: 88s	hhN(dB)	Min	Max	Mean	Std	Varc%
TimeLngth: 88.92s, TimeInt: 29ms (33.8pps)	vvN(dB)	-65.31	-61.89	-63.61	-73.67	9.9
TimeCor=-13.0s, DSPDif(mn,min,mx):31,28,3028	hhL(dB)	-68.27	-65.03	-66.50	-76.40	10.2
PPS(min,max,std): 0,36,6.99	vvL(dB)	-3.17	0.16	-0.84	-11.07	9.5
Prof: 253 to 3260, NumProf(t/r): 3007/3007	ppN(m/s)	-18.09	-12.14	-16.07	-23.06	20.0
MxACQtime: 33ms; DRate: 189.3KB/s; Flags: 0, 0, 0	ppT(m/s)	-11.39	11.88	-0.08	4.15	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv(dB)	-90.01	93.89	-0.66	32.78	
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/vv(dB)	-23.86	14.13	-2.27	0.59	193.
Range: Delay 75m, Spacing 30m, Gates 100	vh/hh(dB)	-NaN	-29.89	-41.82	-38.64	208.
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.3	hn/vv(dB)	-NaN	-31.50	-41.78	-40.16	145.
	hn/jmp(dB)	-1.73	2.33	0.21	-8.38	13.8
	vn/jmp(dB)	-2.03	2.53	0.20	-8.14	14.6