



HiCu 2002 (dual-antenna config, modes 1,3,4,5,6,7) Data (cal: 49.0,50.0)

W2002-07-26-16-38-04 - PPMAG4	hhN (dB)	Min	Max	Mean	Std	Varc%
IRIG:1,UTC: 16:37:57.85 to 16:40:22.05, Dur: 145s	vvN (dB)	-66.73	-63.53	-65.01	-75.02	10.0
TimeLngth: 144.21s, TimeInt: 29ms (34.1pps)	hhL (dB)	-68.10	-65.01	-66.41	-76.46	9.9
TimeCor=-13.0s, DSPDif(mn,min,mx):29,28,161	hhL (dB)	0.54	1.60	1.35	-16.00	1.8
PPS(min,max,std): 19,36,2.36	vvL (dB)	-17.42	-8.22	-9.84	-17.88	15.7
Prof: 946 to 5863, NumProf(t/r): 4917/4917	ppN (m/s)	-11.86	11.60	-0.08	4.13	
MxACQtime: 33ms; DRate: 190.9KB/s; Flags: 0, 0, 0	ppT (m/s)	-93.66	91.60	-0.63	32.66	
Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH HV VV	hh/vv (dB)	-99.00	-99.00	-99.00	-99.00	-99.
TxPol: HHVV, PRF: 20 10 20 10 kHz	vh/hh (dB)	-99.00	-99.00	-99.00	-99.00	-99.
Range: Delay 75m, Spacing 30m, Gates 100	hv/vv (dB)	-NaN	-34.10	-44.42	-45.95	70.3
Ave. Pulses: 84, Rng/Prof Aspect@90m/s: 11.4	hnjmp (dB)	-2.21	2.04	-0.13	-8.70	13.9
	vnjmp (dB)	-2.87	1.93	-0.12	-8.73	13.8