




IHOP 2002 (dual-antenna config, modes 1,3,4,7) Data (cal: 49.0,50.0)

W2002-05-22-22-15-48 - SPPMAG  
 IRIG:1,UTC: 22:15:36.31 to 23:13:58.50, Dur: 3502s  
 TimeLngth: 3502.19s, TimeInt: 24ms (40.1pps)  
 TimeCor=-13.0s, DSPDif[ms]: mn=26,mx-min=204  
 PPS(min,max,std): 33,42,2.66  
 Prof: 439 to 140886, NumProf(t/r): 140447/60244  
 ProcTime/Recs: 22:40:38-23:05:41/60244-120487  
 MxACQtime: 17ms; DRate: 96.0KB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH  
 TxPol: H, PRF: 20 kHz  
 Range: Delay 75m, Spacing 30m, Gates 150  
 Ave. Pulses: 348, Rng/Prof Aspect@90m/s: 13.4




	Min	Max	Mean	Std	Varc%
hhN(dB)	-66.00	-42.38	-62.60	-57.46	326.
vvN(dB)	-66.05	-62.94	-64.88	-76.81	6.4
hhL(dB)	-14.51	-4.73	-8.81	-12.99	38.1
vhL(dB)	-16.80	-6.01	-9.82	-14.54	33.7
ppN(m/s)	-15.80	15.80	1.18	8.89	
ppT(m/s)	-0.03	0.03	-0.00	0.01	
vh/hh(dB)	-NaN	-1.77	-24.64	-15.85	756.
hnjmp(dB)	-9.93	17.16	0.15	-4.95	31.0
vnjmp(dB)	-1.28	1.40	0.12	-11.57	6.8



IHOP 2002 (dual-antenna config, modes 1,3,4,7) Data (cal: 49.0,50.0)

W2002-05-22-22-15-48 - SPPMAG  
 IRIG:1,UTC: 22:15:36.31 to 23:13:58.50, Dur: 3502s  
 TimeLngth: 3502.19s, TimeInt: 24ms (40.1pps)  
 TimeCor=-13.0s, DSPDif[ms]: mn=26,mx-min=204  
 PPS(min,max,std): 33,42,2.66  
 Prof: 439 to 140886, NumProf(t/r): 140447/60244  
 ProcTime/Recs: 22:40:38-23:05:41/60244-120487  
 MxACQtime: 17ms; DRate: 96.0KB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH  
 TxPol: H, PRF: 20 kHz  
 Range: Delay 75m, Spacing 30m, Gates 150  
 Ave. Pulses: 348, Rng/Prof Aspect@90m/s: 13.4

	Min	Max	Mean	Std	Varc%
hhN(dB)	-66.00	-42.38	-62.60	-57.46	326.
vvN(dB)	-66.05	-62.94	-64.88	-76.81	6.4
hhL(dB)	-14.51	-4.73	-8.81	-12.99	38.1
vhL(dB)	-16.80	-6.01	-9.82	-14.54	33.7
ppN(m/s)	-15.80	15.80	1.18	8.89	
ppT(m/s)	-0.03	0.03	-0.00	0.01	
vh/hh(dB)	-NaN	-1.77	-24.64	-15.85	756.
hnjmp(dB)	-9.93	17.16	0.15	-4.95	31.0
vnjmp(dB)	-1.28	1.40	0.12	-11.57	6.8



IHOP 2002 (dual-antenna config, modes 1,3,4,7) Data (cal: 49.0,50.0)

W2002-05-22-22-15-48 - SPPMAG  
 IRIG:1,UTC: 22:15:36.31 to 23:13:58.50, Dur: 3502s  
 TimeLngth: 3502.19s, TimeInt: 24ms (40.1pps)  
 TimeCor=-13.0s, DSPDif[ms]: mn=26,mx-min=204  
 PPS(min,max,std): 33,42,2.66  
 Prof: 439 to 140886, NumProf(t/r): 140447/60244  
 ProcTime/Recs: 22:40:38-23:05:41/60244-120487  
 MxACQtime: 17ms; DRate: 96.0KB/s; Flags: 0, 0, 0  
 Pulse: 275ns, IFfilt: 5.0MHz; ppPol: HH  
 TxPol: H, PRF: 20 kHz  
 Range: Delay 75m, Spacing 30m, Gates 150  
 Ave. Pulses: 348, Rng/Prof Aspect@90m/s: 13.4

	Min	Max	Mean	Std	Varc%
hhN(dB)	-66.00	-42.38	-62.60	-57.46	326.
vvN(dB)	-66.05	-62.94	-64.88	-76.81	6.4
hhL(dB)	-14.51	-4.73	-8.81	-12.99	38.1
vhL(dB)	-16.80	-6.01	-9.82	-14.54	33.7
ppN(m/s)	-15.80	15.80	1.18	8.89	
ppT(m/s)	-0.03	0.03	-0.00	0.01	
vh/hh(dB)	-NaN	-1.77	-24.64	-15.85	756.
hnjmp(dB)	-9.93	17.16	0.15	-4.95	31.0
vnjmp(dB)	-1.28	1.40	0.12	-11.57	6.8